



# Oxivir® Tb



## Hospital Grade Disinfectant

Cleans and kills bacteria, viruses and fungi in one step

Oxivir Tb is a one step disinfectant, cleaner and odour neutraliser. It requires no post use rinsing when used on non-food contact surfaces. It will clean and disinfect most surfaces found in health, educational and recreational environments. Post use the active ingredient breaks down to only oxygen and water.

Oxivir Tb is One-Step Hospital Grade Disinfectant Cleaner based on Accelerated Hydrogen Peroxide (AHP®) Technology to deliver fast, broad spectrum disinfection with enhanced cleaning power.

**Kills SARS-CoV-2 (COVID-19 virus) in 1 minute.**

### Effective

- Virucidal, Bactericidal, Fungicidal, Tuberculocidal
- Virucidal in 1 minute. Kills Norovirus, H1N1, Influenza A, Human coronavirus 229E, Hepatitis B
- Effective against a 27 pathogenic micro-organisms including VRE & MRSA.
- Sanitises soft surfaces such as curtains, cushions and carpets
- Oxivir Tb does not contain Methylisothiazolinone (MI), a preservative associated with systemic toxicity, dermatitis, skin corrosion and eye damage

### Easy to use

- Ready to use, non-rinsing formula
- One step cleaning and disinfection of hard environmental surfaces

### Safe


- Surface protection: non-corrosive, non-bleaching formula. Disinfect hard surfaces without creating destructive micro-cracks that harbour pathogens
- High safety profile – not classified as hazardous according to GHS requirements

### Environmentally Responsible

- No VOC's, no added fragrance
- Active ingredient, Hydrogen peroxide biodegrades into water and oxygen

### Designed for

- Healthcare (Hospitals, Nursing Homes, Medical Establishments)
- Child Care Centres
- Hospitality



**AUST L 349950**



# Oxivir<sup>®</sup> Tb



## Hospital Grade Disinfectant

### Efficacy Data:

When used as directed, Oxivir Tb is highly effective against a wide variety of pathogenic micro-organisms including bacteria, antibiotic resistant bacteria, viruses, fungi and Tb.

	Organism	Contact Time
Bacteria	<b>Gram-positive</b> <ul style="list-style-type: none"> <li>• Methicillin-resistant Staphylococcus aureus (MRSA)</li> <li>• Staphylococcus aureus</li> </ul>	<ul style="list-style-type: none"> <li>• 1 min</li> <li>• 1 min</li> </ul>
	<b>Gram-negative</b> <ul style="list-style-type: none"> <li>• Vancomycin-resistant enterococci (VRE)</li> <li>• Acinetobacter baumannii</li> <li>• Escherichia coli</li> <li>• Escherichia coli 0157:H7</li> <li>• Klebsiella pneumoniae</li> <li>• Pseudomonas aeruginosa</li> <li>• Salmonella enterica (choleraesuis)</li> <li>• Shigella Dysenteriae</li> <li>• Proteus vulgaris</li> </ul>	<ul style="list-style-type: none"> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 10 mins</li> </ul>
Viruses	<b>Enveloped</b> <ul style="list-style-type: none"> <li>• Hepatitis B Virus (HBV)</li> <li>• Herpes simplex virus type 1</li> <li>• Herpes simplex virus type 2</li> <li>• H1N1 Influenza A (Swine flu)</li> <li>• H3N2 Avian Influenza A</li> <li>• HIV-1 (AIDS virus)</li> <li>• Human Coronavirus 229E</li> <li>• Influenza A (Hong Kong)</li> <li>• Hepatitis C Virus (HCV)</li> </ul>	<ul style="list-style-type: none"> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 5 mins</li> </ul>
	<b>Non-Enveloped</b> <ul style="list-style-type: none"> <li>• Norovirus</li> <li>• Feline calicivirus</li> <li>• Polio virus type 1</li> <li>• Rhinovirus</li> <li>• Rotavirus</li> </ul>	<ul style="list-style-type: none"> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> <li>• 1 min</li> </ul>
<b>Fungi</b>	<ul style="list-style-type: none"> <li>• Trichophyton mentagrophytes</li> </ul>	<ul style="list-style-type: none"> <li>• 10 mins</li> </ul>
<b>Tb</b>	<ul style="list-style-type: none"> <li>• Mycobacterium bovis (Tb)</li> </ul>	<ul style="list-style-type: none"> <li>• 5 mins</li> </ul>



# Oxivir<sup>®</sup> Tb



## Hospital Grade Disinfectant

### Use instructions

#### Ready to Use (RTU)

1. Apply Oxivir Tb undiluted to surfaces by spray, cloth or disposable wipe.
2. All surfaces must remain visibly wet for 1 minute for viruses and bacteria.
3. Allow to air dry.

A potable water rinse is required when disinfecting food contact surfaces. Do not mix with other detergents or other chemicals. Oxivir Tb can not be used on glasses, dishes and utensils or therapeutic devices. Not recommended for use on brass, copper or marble.

Hard surface disinfectant only. Not to be used on skin. Not intended to be used on medical devices or other therapeutic goods. Store below 25°C.

Oxivir Tb cleans, disinfects, deodorises and controls mould and mildew on hard non porous surfaces. Use daily on vinyl, plastic, glazed ceramic and porcelain, chrome, stainless steel, laminates, walls, ceilings, tables, chairs, countertops, telephones, other fixtures, toilet exteriors, patient rooms, operating rooms and shower rooms

### Technical data

Appearance	Clear liquid	Odour	Characteristic odour
Specific Gravity (20°C)	1.01	pH	3.0
Odour	Characteristic odour	Shelf life	2 years (RTU Liquid)
Active Ingredient	0.5% w/w Hydrogen Peroxide		

*The above data is typical of normal production and should not be taken as a specification.*

Product	Pack size	Article code	Country
Oxivir Tb	12 x 800mL	101104742	AU & NZ
Oxivir Tb	2 x 5L	101104743	AU & NZ

### Safe handling and storage information

Full guidance on the handling and disposal of this product is provided in a separate Safety Data Sheet. Store in original container. Avoid extremes of temperature and humidity. Do not mix with other detergents or other chemicals. Store below 25°C.

#### Safety Reminder

Please make sure your employees read and understand the product label and Safety Data Sheet before using this product. The label contains directions for use, and both the label and SDS contain hazard warnings, precautionary statements and first aid procedures. SDSs are available online at [www.diversey.com](http://www.diversey.com) or by calling Toll free: Australia, 1800 647 779 or New Zealand, 0800 803 615.

For additional information, please contact us at:  
Diversey Australia Pty Ltd Toll free: 1800 647 779, Diversey New Zealand Ltd Toll free: 0800 803 615 [www.diversey.com](http://www.diversey.com). Legal disclaimer: The associated products or services are manufactured by or otherwise emanate from Diversey Companies and their subsidiaries and not from Sealed Air.

© 2020 Diversey, Inc. All Rights Reserved.